

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 123970		Company Name: SUNDANCE SPAS INC.													
Equipment Location: 14525 MONTE VISTA AVENUE, CHINO, CA 91710			SIC Code: 3088												
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:													
Application #(s): 467149		Application Submittal Date(s): 3/30/07													
AQMD Contact Person: Brian Yeh		Phone #: (909) 396-2584	E-Mail Address: byeh@aqmd.gov												
Project Description: This is an existing facility, applying for Title V permit renewal that is engaged in spa manufacturing. The facility operates four spray booths, two dip tanks, four mixing tanks, ten storage tanks, and other supporting equipment. The VOC emissions from the spray booths, mixing tanks, and storage tanks are vented to an air pollution control equipment regenerative thermal oxidizer.															
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal															
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance															
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2005-2006		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u> <table style="margin-left: 20px; border: none;"> <tr> <td>AMMONIA</td> <td style="text-align: right;">Emissions (lbs/yr): 47.296</td> </tr> <tr> <td>BENZENE</td> <td style="text-align: right;">0.085</td> </tr> <tr> <td>FORMALDEHYDE</td> <td style="text-align: right;">0.181</td> </tr> <tr> <td>NAPHTHALENE</td> <td style="text-align: right;">0.004</td> </tr> <tr> <td>PAHS</td> <td style="text-align: right;">0.001</td> </tr> </table>		AMMONIA	Emissions (lbs/yr): 47.296	BENZENE	0.085	FORMALDEHYDE	0.181	NAPHTHALENE	0.004	PAHS	0.001		
AMMONIA	Emissions (lbs/yr): 47.296														
BENZENE	0.085														
FORMALDEHYDE	0.181														
NAPHTHALENE	0.004														
PAHS	0.001														
Health Risk From Toxic Air Contaminants:		<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <table style="margin-left: 20px; border: none;"> <tr> <td><input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements</td> </tr> <tr> <td><input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588</td> </tr> <tr> <td><input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed</td> </tr> <tr> <td><input type="checkbox"/> Final Facility Health Risk Approved (date) _____</td> </tr> <tr> <td>Cancer Risk = _____ in one million</td> </tr> <tr> <td>Acute Hazard Index = _____</td> </tr> <tr> <td>Chronic Hazard Index = _____</td> </tr> </table>		<input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements	<input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588	<input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed	<input type="checkbox"/> Final Facility Health Risk Approved (date) _____	Cancer Risk = _____ in one million	Acute Hazard Index = _____	Chronic Hazard Index = _____					
<input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements															
<input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588															
<input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed															
<input type="checkbox"/> Final Facility Health Risk Approved (date) _____															
Cancer Risk = _____ in one million															
Acute Hazard Index = _____															
Chronic Hazard Index = _____															
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2005-2006		<table style="border: none;"> <tr> <td><input checked="" type="checkbox"/> NOx</td> <td>0.96</td> <td><input checked="" type="checkbox"/> PM</td> <td>0.05</td> </tr> <tr> <td><input checked="" type="checkbox"/> CO</td> <td>0.29</td> <td><input checked="" type="checkbox"/> SOx</td> <td>0.004</td> </tr> <tr> <td><input checked="" type="checkbox"/> VOC</td> <td>31.3</td> <td><input type="checkbox"/> Other:</td> <td>_____</td> </tr> </table>		<input checked="" type="checkbox"/> NOx	0.96	<input checked="" type="checkbox"/> PM	0.05	<input checked="" type="checkbox"/> CO	0.29	<input checked="" type="checkbox"/> SOx	0.004	<input checked="" type="checkbox"/> VOC	31.3	<input type="checkbox"/> Other:	_____
<input checked="" type="checkbox"/> NOx	0.96	<input checked="" type="checkbox"/> PM	0.05												
<input checked="" type="checkbox"/> CO	0.29	<input checked="" type="checkbox"/> SOx	0.004												
<input checked="" type="checkbox"/> VOC	31.3	<input type="checkbox"/> Other:	_____												
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (1)															
Comments:															